



EVOLUTION LINE

EVO631

TYPE	Rack conveyor dishwashers
LINE	EVOLUTION LINE
BASKET	500x500
SIZE	4530x770x1800h

The EVOLUTION Line has been designed to meet the needs of every customer, thanks to the various accessories installable, combining large workloads and optimising spaces available, simplifying operator work and reducing consumption. The models of this line are equipped with a double filtration system that retains all residues, whereas the vertical wash pumps and stainless steel wash arms ensure great performance. Evolution is also equipped with counterbalanced doors with double wall and anti-fall system and rounded moulded tanks.

DISHWASHERS FEATURES	EVOLUTION LINE EVO631
Dimensions - (mm) L - P - H	4530x770x1800h
Basket dimensions	500x500
n° baskets/hour	300(High capacity) - 250(General purpose) - 225(DIN10534) - 160(Glasses) - 210(Intensive)
Passage height max (cm)	450
Total power input	43,49 (55°C) 47,29 (15°C)*
Standard input voltage	400V3N+T 50 Hz
Driving motor	0,22 inverter
PRE-WASHING	
Tank capacity	70
Washing pump	0,2
Tank Resistance	10,5
FIRST WASHING	
Tank capacity	70
Washing pump	0,2
Tank Resistance	10,5
WASHING	
Tank capacity	70
Washing pump	0,2
Tank Resistance	10,5
PRE-RINSING	5
PRE-RINSING	
Tank capacity	70
Washing pump	0,2
Built-in drain pump	40W
RINSING	
Break-Tank and rinse pump	200W
Boiler heating	12,0 (55°C) 16,0 (15°C)*
Water consumption	~200
Water hardness	7÷10 °f
DRYER UNIT	
ventilatore	0,55
Air capacity	~50
resistenza	6,0
RECUPERATORE TERMICO CALORE	
Exhauster	0,18
Air capacity	~50
STANDARD EQUIPMENT	
Basket for glasses dim.500x500x100mm	1
Basket for 18 dishes dim.500x500x100mm	2
OPTION	
Drying	●
Heat recovery	●
Corner pre-washing system	●
Corner dryer unit	●
Internal detergent & rinse-aid dosing unit	●
● INSTALLABLE ACCESSORY , - NOT INSTALLABLE ACCESSORY	

EVO631

